
# Freeform Search



### **Search History**

DATE: Tuesday, February 17, 2004 Printable Copy Create Case (45)

Set Name Query side by side			Hit Count Set Name result set		
DB=U	JSPT; PLUR=YES; OP=ADJ				
<u>L5</u>	L4 and (food with packag\$3)[ab,clm,ti]	23	<u>L5</u>		
<u>L4</u>	L3 and (\$4propylene)[ab,clm,ti]	905	<u>L4</u>		
<u>L3</u>	L2 and (\$4butene or \$4butylene or \$4ethylene or \$4propylene)	2914	<u>L3</u>		
<u>L2</u>	L1 and (melting point)[ab,clm,ti]	3752	<u>L2</u>		
<u>L1</u>	428/35.7 or 428/346 or 426/\$10 or 525/\$10	149455	<u>L:1</u>		

END OF SEARCH HISTORY

# Refine Search

#### Search Results -

Terms	Documents
L4 and melting point	7

US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database

Database:

JPO Abstracts Database Derwent World Patents Index

IBM Technical Disclosure Bulletins

Recall Text.

US Pre-Grant Publication Full-Text Database

Search:



Interrupt

Refine Search

## **Search History**

Clear

DATE: Tuesday, February 17, 2004 Printable Copy Create Case

Set Name Query side by side			Hit Count Set Name result set		
	DB=D	OWPI; PLUR=YES; OP=ADJ			
	<u>L5</u>	L4 and melting point	7	<u>L5</u>	
	<u>L4</u>	L3 and (polyethylene or polybut\$2ene)	201	<u>L4</u>	
	<u>L3</u>	L2 and seal\$8	337	<u>L3</u>	
	<u>L2</u>	L1 and (food and package)	549	<u>L2</u>	
	T.1	polypropylene and heat	16442	L1	

END OF SEARCH HISTORY

## **Refine Search**

#### Search Results -

Terms	Documents
L2 and polypropylene	0

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:



#### **Search History**

DATE: Tuesday, February 17, 2004 Printable Copy Create Case

Set Name Query side by side result set

DB=DWPI; PLUR=YES; OP=ADJ

 L3
 L2 and polypropylene
 0
 L3

 L2
 L1 and seal\$6
 12
 L2

 L1
 knoerzer-a\$.,in. or kohl-g\$.in.
 73
 L1

END OF SEARCH HISTORY